


*Modello in fase di rimodellazione

SERIES **TR10**

hp 70-95 / kW 52-62

FIXED SHREDDER FOR PRUNING AND GRASS

The TR10 series shredders are multi-function machines that can be used for several purposes, from the cleaning of pruning and sticks rests to the shredding of sarments, corns, grass, bruchwoods, etc. They are available with a working width up to 285 cm. They allow to achieve finely cut and exhausted remains even by starting from hard or resinous woods. On demand, they can be equipped with inter-row grass cutting wheel.




DETACHABLE COUNTER HAMMERS



DOUBLE COVER





STANDARD EQUIPMENT

1. CE safety device
2. Double cover
3. Oil quenched running wheel in gearbox
4. Smooth hammers
5. Removable Counter Hammers
6. Support leg
7. Selfcleaning rear roll with three set-up positions
8. Double-line of front safety flags
9. Power take-off P.T.O.540 rpm
10. 4- belts
11. Jags for wood collection

OPTIONAL REQUESTS

- Cardan joint
- Hammers in place of smooth hammers
- Blades in place of hammers
- 2 point linkage bracket
- Shifting linkages
- Inter-row mower (Page 26)
- Hydraulic grass cutting wheel with mechanical wind-up shift (Page 28)
- Grass cutting wheel with hydraulic pointer (Page 30)
- Front iron wheels
- 2 saddles
- 2 fixed iron wheels in place of the roll
- 2 fixed rubber wheels in place of the roll
- 2 steering iron wheels in place of the roll
- 2 steering rubber wheels in place of the roll
- Power take-off P.T.O.1000 rpm

TECHNICAL FEATURES


TR10
hp 70-95 / kW 52-62

BROAD TECHNICAL DATA

MODEL	MAX. SPACE WIDTH		REAL WORKING WIDTH		SHIFT WITH REGARD TO THE CENTRE LINE OF THE TRACTOR				RECOMMENDED POWER OF TRACTOR		HAMMERS	BLADES	JAGS FOR WOOD	TOTAL WEIGTH OF THE MACHINE WITH STANDARD EQUIPMENT	
	cm	in	cm	in	cm		in		hp	Kw	Tot. n.	Tot. n.	Tot. n.	Kg	lib
TR10-160	175	69	160	63	80	80	31	31	70/95	52/62	10	28	9	605	1334
TR10-180	195	77	180	71	90	90	35	35	70/95	52/62	14	28	12	650	1433
TR10-200	215	85	200	79	100	100	39	39	70/95	52/62	18	36	13	680	1499
TR10-220	235	93	220	87	110	110	43	43	70/95	52/62	20	40	15	710	1565
TR10-250	275	108	250	98	125	125	49	49	70/95	52/62	22	44	17	815	1797
TR10-285	310	122	285	112	142	143	56	56	70/95	52/62	24	64	20	840	1852

HAMMERS	CODE	Kg
	T02284	2,000
	T01123	2,340

BLADES	CODE	Kg
	T02350	0,450



© Copyright 20/07/2022 - Rev. 02/22 - I dati riportati sul seguente catalogo sono indicativi e non impegnativi; TORTELLA si riserva di apporre modiche senza preavviso. // The data supplied are purely indicative and in no Way binding. // Die gegebenen Daten sind rein hinweisend und nicht verbindlich. // Les éléments founi sont indicatives et non d'engagements // Los datos son puramente indicativos y sin compromiso.




The Redesigning of a new Model in Progress

SERIES **TR10V**

hp 70-95 / kW 52-62

MOVABLE SHREDDER FOR LARGE OPEN FIELDS

The TR10V includes all shredders with the same features of TR10 series but in hydraulic shiftable version on chromed axis, which allow it to slide without oscillation during use.
They are multi-function machines that can be used for several purposes, from the cleaning of pruning and sticks rests to the shredding of sarments, corns, grass, bruchwoods, etc. They are available with a working width up to 285 cm. They allow to achieve finely cut and exhausted remains even by starting from hard or resinous woods. On demand, they can be equipped with inter-row grass cutting wheel.




DETACHABLE COUNTER HAMMERS



DOUBLE COVER



HYDRAULIC CHROME PISTON FOR DISPLACEMENT AND CHROME ROUND SUPPORT , FOR ALL SHIFTABLE SERIES





STANDARD EQUIPMENT

1. CE safety device
2. Double cover
3. Oil quenched running wheel in gearbox
4. Smooth hammers
5. Removable Counter Hammers
6. Support leg
7. Selfcleaning rear roll with three set-up positions
8. Double-line of front safety flags
9. Power take-off P.T.O.540 rpm
10. 4- belts
11. Jags for wood collection
12. Hydraulic shift on chromed axis

OPTIONAL REQUESTS

- Cardan joint
- Hammers in place of smooth hammers
- Blades in place of hammers
- 2 point linkage bracket
- Shifting linkages
- Inter-row mower (Page 26)
- Hydraulic grass cutting wheel with mechanical wind-up shift (Page 28)
- Grass cutting wheel with hydraulic pointer (Page 30)
- Front iron wheels
- 2 saddles
- 2 fixed iron wheels in place of the roll
- 2 fixed rubber wheels in place of the roll
- 2 steering iron wheels in place of the roll
- 2 steering rubber wheels in place of the roll
- Power take-off P.T.O.1000 rpm

TECHNICAL FEATURES


TR10V
hp 70-95 / kW 52-62

BROAD TECHNICAL DATA

MODEL	MAX. SPACE WIDTH		REAL WORKING WIDTH		SHIFT WITH REGARD TO THE CENTRE LINE OF THE TRACTOR								RECOMMENDED POWER OF TRACTOR		HAMMERS	BLADES	JAGS FOR WOOD	TOTAL WEIGTH OF THE MACHINE WITH STANDARD EQUIPMENT	
	cm	in	cm	in	cm				in				hp	Kw	Tot. n.	Tot. n.	Tot. n.	Kg	lib
TR10V-160	175	69	160	63	80	80	42	118	31	31	17	46	70/95	52/62	14	28	9	655	1444
TR10V-180	195	77	180	71	90	90	52	128	35	35	20	50	70/95	52/62	14	28	12	700	1543
TR10V-200	215	85	200	79	101	101	63	139	40	40	25	55	70/95	52/62	18	36	13	730	1609
TR10V-220	235	93	220	87	110	110	72	148	43	43	28	58	70/95	52/62	20	40	15	760	1676
TR10V-250	275	108	250	98	125	125	87	163	49	49	34	64	70/95	52/62	22	44	17	900	1984
TR10V-285	310	122	285	112	142	143	104	181	56	56	41	71	70/95	52/62	32	64	20	950	2094

HAMMERS	CODE	Kg
	T02284	2,000
	T01123	2,340

BLADES	CODE	Kg
	T02350	0,450



© Copyright 20/07/2022 - Rev. 02/22 - I dati riportati sul seguente catalogo sono indicativi e non impegnativi; TORTELLA si riserva di apporre modiche senza preavviso. // The data supplied are purely indicative and in no Way binding. // Die gegebenen Daten sind rein hinweisend und nicht verbindlich. // Les éléments founi sont indicatives et non d'engagements // Los datos son puramente indicativos y sin compromiso.