


SERIES **TR6**

hp 12-35 / kW 09-26

FIXED SHREDDER FOR PRUNING AND GRASS

The TR6 series includes all shredders for pruning and grass, suitable for cutting small remains of pruning, brushwood and brambles, as well for grass mowing. They allow to achieve a finely cut and scraped rest also by starting from hard or resinous woods.
The machine was designed with a single cover to meet the needs of users who do not require special performance.




DETACHABLE COUNTER HAMMERS




DOUBLE COVER



OPENABLE FRONT DOOR FOR THE ONLY MAINTENANCE (EXCLUDING SERIES TR10, TR10V, TL)





STANDARD EQUIPMENT

1. CE safety device
2. Oil quenched running wheel in gearbox
3. Smooth hammers
4. Counterplates for hammers
5. Support leg
6. Selfcleaning rear roll with three set-up positions
7. Front safety flags
8. Power take-off P.T.O.540 rpm
9. 3 - belt

OPTIONAL REQUESTS

- Cardan joint
- Blades in place of smooth hammers
- 2 point linkage bracket
- Jags for wood collection
- Double cover and openable front door for the only maintenance
- Gearbox Bondioli & Pavesi
- 2 saddles
- 2 fixed iron wheels in place of the roll
- 2 fixed rubber wheels in place of the roll
- 2 steering iron wheels in place of the roll
- 2 steering rubber wheels in place of the roll

**The wheel pairs are together with double cover and openable door*

TECHNICAL FEATURES


TR6
hp 12-35 / kW 09-26

BROAD TECHNICAL DATA

MODEL	MAX. SPACE WIDTH		REAL WORKING WIDTH		SHIFT WITH REGARD TO THE CENTRE LINE OF THE TRACTOR				RECOMMENDED POWER OF TRACTOR		SMOOTH HAMMERS	BLADES	JAGS FOR WOOD	TOTAL WEIGTH OF THE MACHINE WITH STANDARD EQUIPMENT	
	cm	in	cm	in	cm		in		hp	Kw	Tot. n.	Tot. n.	Tot. n.	Kg	lib
TR6-85	95	37	85	33	42	43	17	17	12/35	09/26	8	16	6	170	375
TR6-105	115	45	105	41	52	53	20	21	12/35	09/26	10	20	7	200	441
TR6-115	125	49	115	45	57	58	22	23	15/35	11/26	12	24	8	218	481
TR6-125	135	53	125	49	62	63	24	25	15/35	11/26	12	24	8	235	518
TR6-135	145	57	135	53	67	68	26	27	15/35	11/26	14	28	8	245	540
TR6-145	155	61	145	57	72	73	28	29	15/35	11/26	14	28	9	260	573
TR6-155	165	65	155	61	77	78	30	31	20/35	15/26	16	32	10	275	606

SMOOTH HAMMERS	CODE	Kg
	T01149	1,280

BLADES	CODE	Kg
	T02348	0,360



© Copyright 20/07/2022 - Rev. 02/22 - I dati riportati sul seguente catalogo sono indicativi e non impegnativi; TORTELLA si riserva di apporre modiche senza preavviso. // The data supplied are purely indicative and in no Way binding. // Die gegebenen Daten sind rein hinweisend und nicht verbindlich. // Les éléments founi sont indicatives et non d'engagements // Los datos son puramente indicativos y sin compromiso.



SERIES **TR6V**

hp 12-35 / kW 09-26

SHIFTABLE SHREDDER FOR PRUNING AND GRASS

The TR6V series includes all shiftable shredders for pruning and grass, suitable for cutting small remains of pruning, brushwood and brambles, as well for grass mowing. They allow to achieve a finely cut and scraped rest also by starting from hard or resinous woods.
The machine was designed with a single cover to meet the needs of users who do not require special performance.



DETACHABLE COUNTER HAMMERS




DOUBLE COVER




OPENABLE FRONT DOOR FOR THE ONLY MAINTENANCE



HYDRAULIC CHROME PISTON FOR DISPLACEMENT AND CHROME ROUND SUPPORT , FOR ALL SHIFTABLE SERIES





STANDARD EQUIPMENT

1. CE safety device
2. Oil quenched running wheel in gearbox
3. Smooth hammers
4. Detachable counter hammers
5. support leg
6. Selfcleaning rear roll with three set-up positions
7. Front safety flags
8. Power take-off P.T.O.540 rpm
9. 3 - belt
10. Hydraulic shift on chromed axis (20 cm)

OPTIONAL REQUESTS

- Cardan joint
- Blades in place of smooth hammers
- 2 point linkage bracket
- Jags for wood collection
- Double cover and openable front door for the only maintenance
- Gearbox Bondioli & Pavesi
- 2 saddles
- 2 fixed iron wheels in place of the roll
- 2 fixed rubber wheels in place of the roll
- 2 steering iron wheels in place of the roll
- 2 steering rubber wheels in place of the roll

**The wheel pairs are together with double cover and openable door*

TECHNICAL FEATURES


TR6V
hp 12-35 / kW 09-26

BROAD TECHNICAL DATA

MODEL	MAX. SPACE WIDTH		REAL WORKING WIDTH		SHIFT WITH REGARD TO THE CENTRE LINE OF THE TRACTOR								RECOMMENDED POWER OF TRACTOR		SMOOTH HAMMERS	BLADES	JAGS FOR WOOD	TOTAL WEIGTH OF THE MACHINE WITH STANDARD EQUIPMENT	
	cm	in	cm	in	cm				in				hp	Kw	Tot. n.	Tot. n.	Tot. n.	Kg	lib
TR6V-125	135	53	125	49	62	63	42	83	24	25	17	33	15/35	11/26	12	24	8	265	584
TR6V-135	145	57	135	53	67	68	47	88	26	27	19	35	15/35	11/26	14	28	8	280	617
TR6V-145	155	61	145	57	72	73	52	93	28	29	20	37	15/35	11/26	14	28	9	290	639
TR6V-155	165	65	155	61	77	78	57	98	30	31	22	39	20/35	15/26	16	32	10	300	661

SMOOTH HAMMERS	CODE	Kg
	T01149	1,280

BLADES	CODE	Kg
	T02348	0,360



© Copyright 20/07/2022 - Rev. 02/22 - I dati riportati sul seguente catalogo sono indicativi e non impegnativi; TORTELLA si riserva di apporre modiche senza preavviso. // The data supplied are purely indicative and in no Way binding. // Die gegebenen Daten sind rein hinweisend und nicht verbindlich. // Les éléments founi sont indicatives et non d'engagements // Los datos son puramente indicativos y sin compromiso.