


SERIES **TR8**

hp 30-55 / kW 22-41

FIXED SHREDDER FOR PRUNING AND GRASS

The TR8 series includes all fixed shredders for pruning and grass, particularly suitable for cleaning the lanes of vineyards and fruit-farms. They can chop medium-size remains of pruning, as well as grass, brushwood, brambles, etc. and allow to achieve a finely cut and scraped rest also by starting from hard or resinous woods.




DETACHABLE COUNTER HAMMERS




DOUBLE COVER



OPENABLE FRONT DOOR FOR THE ONLY MAINTENANCE





STANDARD EQUIPMENT

1. CE safety device
2. Double cover
3. Oil quenched running wheel in gearbox
4. Smooth hammers
5. Removable Counter Hammers
6. Support leg
7. Selfcleaning rear roll with three set-up positions
8. Openable front door for the only maintenance
9. Front safety flags
10. Power take-off P.T.O.540 rpm
11. 3 - belt
12. Jags for wood collection

OPTIONAL REQUESTS

- Cardan joint
- Blades in place of smooth hammers
- Additional Counter Hammers
- 2 point linkage bracket
- Inter-row mower (rif. pag. 26)
- Hydraulic mower wheel, wind-up mechanical shift (Page 28)
- Hydraulic mower wheel with hydraulic sensing lever (Page 30)
- 2 saddles
- 2 fixed iron wheels in place of the roll
- 2 fixed rubber wheels in place of the roll
- 2 steering iron wheels in place of the roll
- 2 steering rubber wheels in place of the roll

TECHNICAL FEATURES


TR8
hp 30-55 / kW 22-41

BROAD TECHNICAL DATA

MODEL	MAX. SPACE WIDTH		REAL WORKING WIDTH		SHIFT WITH REGARD TO THE CENTRE LINE OF THE TRACTOR				RECOMMENDED POWER OF TRACTOR		SMOOTH HAMMERS	BLADES	JAGS FOR WOOD	TOTAL WEIGTH OF THE MACHINE WITH STANDARD EQUIPMENT	
	cm	in	cm	in	cm		in		hp	Kw	Tot. n.	Tot. n.	Tot. n.	Kg	lib
TR8-115	125	49	115	45	57	58	22	23	30/40	22/30	10	20	7	295	650
TR8-130	144	57	134	53	65	65	26	26	30/55	22/41	12	24	9	347	765
TR8-140	154	61	144	57	70	70	28	28	40/55	29/41	14	28	9	365	805
TR8-160	174	69	164	65	80	80	31	31	40/55	29/41	16	32	11	419	924
TR8-180	194	76	184	72	90	90	35	35	40/55	29/41	18	36	13	465	1025

SMOOTH HAMMERS	CODE	Kg
	T00292	1,360

BLADES	CODE	Kg
	T02349	0,340



© Copyright 20/07/2022 - Rev. 02/22 - I dati riportati sul seguente catalogo sono indicativi e non impegnativi; TORTELLA si riserva di apporre modiche senza preavviso. // The data supplied are purely indicative and in no Way binding. // Die gegebenen Daten sind rein hinweisend und nicht verbindlich. // Les éléments founi sont indicatives et non d'engagements // Los datos son puramente indicativos y sin compromiso.



SERIES **TR8V**

hp 30-55 / kW 22-41

SHIFTABLE SHREDDER FOR PRUNING AND GRASS

The TR8V series includes all shredders with the same features of TR8 series but in hydraulic shiftable version on chromed axis. They are particularly suitable for cleaning the lanes of vineyards and fruit-farms. They can chop medium-size remains of pruning, as well as grass, brushwood, brambles, etc. and allow to achieve a finely cut and scraped rest also by starting from hard or resinous woods. On request, they can be equipped with lane mower wheel.



DETACHABLE COUNTER HAMMERS




DOUBLE COVER




OPENABLE FRONT DOOR FOR THE ONLY MAINTENANCE



HYDRAULIC CHROME PISTON FOR DISPLACEMENT AND CHROME ROUND SUPPORT , FOR ALL SHIFTABLE SERIES





STANDARD EQUIPMENT

1. CE safety device
2. Double cover
3. Oil quenched running wheel in gearbox
4. Smooth hammers
5. Removable Counter Hammers
6. Support leg
7. Selfcleaning rear roll with three set-up positions
8. Openable front door for the only maintenance
9. Front safety flags
10. Power take-off P.T.O.540 rpm
11. 3 - belt
12. Jags for wood collection
13. Hydraulic shift on chromed axis (40 cm)

OPTIONAL REQUESTS

- Cardan joint
- Blades in place of smooth hammers
- Additional Counter Hammers
- 2 point linkage bracket
- Inter-row mower (rif. pag. 26)
- Hydraulic mower wheel, wind-up mechanical shift (Page 28)
- Hydraulic mower wheel with hydraulic sensing lever (Page 30)
- 2 saddles
- 2 fixed iron wheels in place of the roll
- 2 fixed rubber wheels in place of the roll
- 2 steering iron wheels in place of the roll
- 2 steering rubber wheels in place of the roll

TECHNICAL FEATURES


TR8V
hp 30-55 / kW 22-41

BROAD TECHNICAL DATA

MODEL	MAX. SPACE WIDTH		REAL WORKING WIDTH		SHIFT WITH REGARD TO THE CENTRE LINE OF THE TRACTOR								RECOMMENDED POWER OF TRACTOR		SMOOTH HAMMERS	BLADES	JAGS FOR WOOD	TOTAL WEIGTH OF THE MACHINE WITH STANDARD EQUIPMENT	
	cm	in	cm	in	cm				in				hp	Kw	Tot. n.	Tot. n.	Tot. n.	Kg	lib
TR8V-130	144	57	134	53	65	65	27	103	26	26	11	41	30/55	22/41	12	24	9	393	866
TR8V-140	154	61	144	57	70	70	32	108	28	28	13	43	40/55	29/41	14	28	9	411	906
TR8V-160	174	69	164	65	80	80	42	118	31	31	17	46	40/55	29/41	16	32	11	458	1010
TR8V-180	194	76	184	72	90	90	52	128	35	35	20	50	40/55	29/41	18	36	13	501	1105

SMOOTH HAMMERS	CODE	Kg
	T00292	1,360

BLADES	CODE	Kg
	T02349	0,340



© Copyright 20/07/2022 - Rev. 02/22 - I dati riportati sul seguente catalogo sono indicativi e non impegnativi; TORTELLA si riserva di apporre modiche senza preavviso. // The data supplied are purely indicative and in no Way binding. // Die gegebenen Daten sind rein hinweisend und nicht verbindlich. // Les éléments founi sont indicatives et non d'engagements // Los datos son puramente indicativos y sin compromiso.