

SERIES **TR9**

hp 35-70/ kW 26-52

FIXED SHREDDER FOR PRUNING AND GRASS

The TR9 series includes all fixed shredders for pruning and grass, particularly suitable for cleaning the lanes of vineyards and fruit-farms. They can chop even big-size remains of pruning, as well as grass, brushwood, brambles, etc. and allow to achieve a finely cut and scraped rest also by starting from hard or resinous woods. On request, they can be equipped with lane mower wheel.




DETACHABLE COUNTER HAMMERS




DOUBLE COVER



OPENABLE FRONT DOOR FOR THE ONLY MAINTENANCE





STANDARD EQUIPMENT

1. CE safety device
2. Double cover
3. Oil quenched running wheel in gearbox
4. Smooth hammers
5. Removable Counter Hammers
6. Support leg
7. Selfcleaning rear roll with three set-up positions
8. Openable front door for the only maintenance
9. Double-line of front safety flags
10. Power take-off P.T.O.540 rpm
11. 3 - belt
12. Jags for wood collection

OPTIONAL REQUESTS

- Cardan joint
- Blades in place of smooth hammers
- Hammers (T02284) and smooth hammers (T01123) model TR10/TR10V, complete with reinforced rotor and counter hammers
- 2 point linkage bracket
- Inter-row mower (Page 26)
- Hydraulic mower wheel, wind-up mechanical shift (Page 28)
- Hydraulic mower wheel with hydraulic sensing lever (Page 30)
- 2 saddles
- 2 fixed iron wheels in place of the roll
- 2 fixed rubber wheels in place of the roll
- 2 steering iron wheels in place of the roll
- 2 steering rubber wheels in place of the roll

TECHNICAL FEATURES


TR9
hp 35-70/ kW 26-52

BROAD TECHNICAL DATA

MODEL	MAX. SPACE WIDTH		REAL WORKING WIDTH		SHIFT WITH REGARD TO THE CENTRE LINE OF THE TRACTOR				RECOMMENDED POWER OF TRACTOR		SMOOTH HAMMERS	BLADES	JAGS FOR WOOD	TOTAL WEIGTH OF THE MACHINE WITH STANDARD EQUIPMENT	
	cm	in	cm	in	cm		in		hp	Kw	Tot. n.	Tot. n.	Tot. n.	Kg	lib
TR9-130	140	55	130	51	65	65	26	26	35/70	26/52	12	24	9	398	877
TR9-140	150	59	140	55	70	70	28	28	35/70	26/52	14	24	9	415	915
TR9-150	160	63	150	59	75	75	30	30	40/70	30/52	16	32	9	426	939
TR9-160	170	67	160	63	80	80	31	31	40/70	30/52	16	32	11	489	1078
TR9-180	190	75	180	71	90	90	35	35	40/70	30/52	18	36	11	534	1177
TR9-200	210	83	200	79	100	100	39	39	50/70	37/52	20	40	13	564	1243

HAMMERS	CODE	Kg
	T00292	1,360

BLADES	CODE	Kg
	2987016	0,340



© Copyright 20/07/2022 - Rev. 02/22 - I dati riportati sul seguente catalogo sono indicativi e non impegnativi; TORTELLA si riserva di apporre modiche senza preavviso. // The data supplied are purely indicative and in no Way binding. // Die gegebenen Daten sind rein hinweisend und nicht verbindlich. // Les éléments founi sont indicatives et non d'engagements // Los datos son puramente indicativos y sin compromiso.



SERIES **TR9V**

hp 35-70/ kW 26-52

SHIFTABLE SHREDDER FOR PRUNING AND GRASS

The TR9V includes all shredders with the same features of TR9 series but in hydraulic shiftable version on chromed axis, which allow it to slide without oscillation during use. They are particularly suitable for cleaning the lanes of vineyards and fruit-farms. They can chop even big-size remains of pruning, as well as grass, brushwood, brambles, etc. and allow to achieve a finely cut and scraped rest also by starting from hard or resinous woods. On request, they can be equipped with lane mower wheel.



DETACHABLE COUNTER HAMMERS




DOUBLE COVER




OPENABLE FRONT DOOR FOR THE ONLY MAINTENANCE



HYDRAULIC CHROME PISTON FOR DISPLACEMENT AND CHROME ROUND SUPPORT , FOR ALL SHIFTABLE SERIES





STANDARD EQUIPMENT

1. CE safety device
2. Double cover
3. Oil quenched running wheel in gearbox
4. Smooth hammers
5. Removable Counter Hammers
6. Support leg
7. Selfcleaning rear roll with three set-up positions
8. Openable front door for the only maintenance
9. Double-line of front safety flags
10. Power take-off P.T.O.540 rpm
11. 3 - belt
12. Jags for wood collection
13. Hydraulic shift on chromed axis (40 cm)

OPTIONAL REQUESTS

- Cardan joint
- Blades in place of smooth hammers
- Hammers (T02284) and smooth hammers (T01123) model TR10/TR10V, complete with reinforced rotor and counter hammers
- 2 point linkage bracket
- Inter-row mower (Page 26)
- Hydraulic mower wheel, wind-up mechanical shift (Page 28)
- Hydraulic mower wheel with hydraulic sensing lever (Page 30)
- 2 saddles
- 2 fixed iron wheels in place of the roll
- 2 fixed rubber wheels in place of the roll
- 2 steering iron wheels in place of the roll
- 2 steering rubber wheels in place of the roll

TECHNICAL FEATURES


TR9V
hp 35-70/ kW 26-52

BROAD TECHNICAL DATA

MODEL	MAX. SPACE WIDTH		REAL WORKING WIDTH		SHIFT WITH REGARD TO THE CENTRE LINE OF THE TRACTOR								RECOMMENDED POWER OF TRACTOR		SMOOTH HAMMERS	BLADES	JAGS FOR WOOD	TOTAL WEIGTH OF THE MACHINE WITH STANDARD EQUIPMENT	
	cm	in	cm	in	cm				in				hp	Kw	Tot. n.	Tot. n.	Tot. n.	Kg	lib
TR9V-130	140	55	130	51	65	65	27	103	26	26	11	41	35/70	26/52	12	24	9	448	988
TR9V-140	150	59	140	55	70	70	32	108	28	28	13	43	35/70	26/52	14	28	9	465	1025
TR9V-150	160	63	150	59	75	75	37	113	30	30	15	44	40/70	30/52	16	32	9	476	1049
TR9V-160	170	67	160	63	80	80	42	108	31	31	17	43	40/70	30/52	16	32	11	539	1188
TR9V-180	190	75	180	71	90	90	52	128	35	35	20	50	40/70	30/52	18	36	11	584	1287
TR9V-200	210	83	200	79	100	100	62	138	39	39	24	54	50/70	37/52	20	40	13	620	1367

HAMMERS	CODE	Kg
	T00292	1,360

BLADES	CODE	Kg
	2987016	0,340



© Copyright 20/07/2022 - Rev. 02/22 - I dati riportati sul seguente catalogo sono indicativi e non impegnativi; TORTELLA si riserva di apporre modiche senza preavviso. // The data supplied are purely indicative and in no Way binding. // Die gegebenen Daten sind rein hinweisend und nicht verbindlich. // Les éléments founi sont indicatives et non d'engagements // Los datos son puramente indicativos y sin compromiso.